```
* * * * * * * * * * * * * * STN  Columbus  * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 16:05:14 ON 25 AUG 2008

=> fil .bec
COST IN U.S. DOLLARS                                  SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.21       0.21

FILES 'MEDLINE, SCISEARCH, LIFESCI, BIOTECHDS, BIOSIS, EMBASE, HCAPLUS, NTIS,
       ESBIOBASE, BIOTECHNO, WPIDS' ENTERED AT 16:05:34 ON 25 AUG 2008
ALL COPYRIGHTS AND RESTRICTIONS APPLY.  SEE HELP USAGETERMS FOR DETAILS.

11 FILES IN THE FILE LIST

=> s casein kinase#
FILE 'MEDLINE'
         17975 CASEIN
        312443 KINASE#
L1        3761 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

FILE 'SCISEARCH'
         21279 CASEIN
        352282 KINASE#
L2        4167 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

FILE 'LIFESCI'
          6138 "CASEIN"
        103051 KINASE#
L3        1586 CASEIN KINASE#
                 ("CASEIN"(W)KINASE#)

FILE 'BIOTECHDS'
          3162 CASEIN
         12269 KINASE#
L4         149 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

FILE 'BIOSIS'
         37078 CASEIN
        367328 KINASE#
L5        3963 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

FILE 'EMBASE'
         15421 "CASEIN"
        288673 KINASE#
L6        3458 CASEIN KINASE#
                 ("CASEIN"(W)KINASE#)

FILE 'HCAPLUS'
         64026 CASEIN
        337961 KINASE#
L7        4242 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

FILE 'NTIS'
           246 CASEIN
          2118 KINASE#
L8           7 CASEIN KINASE#
```

```
                 (CASEIN(W)KINASE#)

FILE 'ESBIOBASE'
           7068 CASEIN
         157988 KINASE#
L9         1750 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

FILE 'BIOTECHNO'
           5488 CASEIN
          92256 KINASE#
L10        1856 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

FILE 'WPIDS'
          11050 CASEIN
          18683 KINASE#
L11         228 CASEIN KINASE#
                 (CASEIN(W)KINASE#)

TOTAL FOR ALL FILES
L12       25167 CASEIN KINASE#

=> s l12(10a)(sleep or circadian)
FILE 'MEDLINE'
          87589 SLEEP
          55873 CIRCADIAN
L13          35 L1  (10A)(SLEEP OR CIRCADIAN)

FILE 'SCISEARCH'
          68569 SLEEP
          31939 CIRCADIAN
L14          33 L2  (10A)(SLEEP OR CIRCADIAN)

FILE 'LIFESCI'
           7967 SLEEP
           9371 CIRCADIAN
L15          23 L3  (10A)(SLEEP OR CIRCADIAN)

FILE 'BIOTECHDS'
            341 SLEEP
            171 CIRCADIAN
L16           4 L4  (10A)(SLEEP OR CIRCADIAN)

FILE 'BIOSIS'
          75337 SLEEP
          40933 CIRCADIAN
L17          44 L5  (10A)(SLEEP OR CIRCADIAN)

FILE 'EMBASE'
          79746 SLEEP
          39174 CIRCADIAN
L18          29 L6  (10A)(SLEEP OR CIRCADIAN)

FILE 'HCAPLUS'
          24333 SLEEP
          24155 CIRCADIAN
L19          80 L7  (10A)(SLEEP OR CIRCADIAN)

FILE 'NTIS'
           2233 SLEEP
            933 CIRCADIAN
```

```
L20          0 L8  (10A)(SLEEP OR CIRCADIAN)

FILE 'ESBIOBASE'
         15346 SLEEP
         11181 CIRCADIAN
L21         28 L9  (10A)(SLEEP OR CIRCADIAN)

FILE 'BIOTECHNO'
          1338 SLEEP
          3773 CIRCADIAN
L22          7 L10(10A)(SLEEP OR CIRCADIAN)

FILE 'WPIDS'
         17799 SLEEP
           957 CIRCADIAN
L23          5 L11(10A)(SLEEP OR CIRCADIAN)

TOTAL FOR ALL FILES
L24        288 L12(10A)(SLEEP OR CIRCADIAN)

=> s l12(10a)(muta? or variant# or allel? or polymorph?)
FILE 'MEDLINE'
        605690 MUTA?
        136049 VARIANT#
        135100 ALLEL?
        193129 POLYMORPH?
L25        123 L1  (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'SCISEARCH'
        597707 MUTA?
        156416 VARIANT#
        130911 ALLEL?
        233277 POLYMORPH?
L26        126 L2  (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'LIFESCI'
        277175 MUTA?
         49074 VARIANT#
         65933 ALLEL?
         82555 POLYMORPH?
L27        104 L3  (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'BIOTECHDS'
         52383 MUTA?
         18614 VARIANT#
          9880 ALLEL?
         11873 POLYMORPH?
L28         10 L4  (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'BIOSIS'
        666734 MUTA?
        143237 VARIANT#
        159022 ALLEL?
        238789 POLYMORPH?
L29        143 L5  (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'EMBASE'
        512838 MUTA?
        119238 VARIANT#
        110681 ALLEL?
        168682 POLYMORPH?
L30        111 L6  (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)
```

```
FILE 'HCAPLUS'
        619116 MUTA?
        136680 VARIANT#
        133012 ALLEL?
        238659 POLYMORPH?
L31        198 L7 (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'NTIS'
         10861 MUTA?
          5024 VARIANT#
           733 ALLEL?
          1792 POLYMORPH?
L32          1 L8 (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'ESBIOBASE'
        322887 MUTA?
         61245 VARIANT#
         75118 ALLEL?
         90873 POLYMORPH?
L33        121 L9 (10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'BIOTECHNO'
        242571 MUTA?
         41198 VARIANT#
         55235 ALLEL?
         71286 POLYMORPH?
L34        104 L10(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'WPIDS'
         39166 MUTA?
         36031 VARIANT#
          9945 ALLEL?
         12273 POLYMORPH?
L35          7 L11(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

TOTAL FOR ALL FILES
L36       1048 L12(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

=> s l36 and delta
FILE 'MEDLINE'
         87214 DELTA
L37          8 L25 AND DELTA

FILE 'SCISEARCH'
        263384 DELTA
L38         12 L26 AND DELTA

FILE 'LIFESCI'
         47818 DELTA
L39         13 L27 AND DELTA

FILE 'BIOTECHDS'
          4729 DELTA
L40          2 L28 AND DELTA

FILE 'BIOSIS'
        128899 DELTA
L41         18 L29 AND DELTA

FILE 'EMBASE'
        111663 DELTA
```

```
L42          16 L30 AND DELTA

FILE 'HCAPLUS'
        508168 DELTA
L43          35 L31 AND DELTA

FILE 'NTIS'
         16164 DELTA
L44           0 L32 AND DELTA

FILE 'ESBIOBASE'
         66261 DELTA
L45          14 L33 AND DELTA

FILE 'BIOTECHNO'
         31359 DELTA
L46           8 L34 AND DELTA

FILE 'WPIDS'
         37292 DELTA
L47           0 L35 AND DELTA

TOTAL FOR ALL FILES
L48         126 L36 AND DELTA

=> s csnk1d
FILE 'MEDLINE'
L49           3 CSNK1D

FILE 'SCISEARCH'
L50           2 CSNK1D

FILE 'LIFESCI'
L51           2 CSNK1D

FILE 'BIOTECHDS'
L52           5 CSNK1D

FILE 'BIOSIS'
L53           2 CSNK1D

FILE 'EMBASE'
L54           2 CSNK1D

FILE 'HCAPLUS'
L55          27 CSNK1D

FILE 'NTIS'
L56           0 CSNK1D

FILE 'ESBIOBASE'
L57           1 CSNK1D

FILE 'BIOTECHNO'
L58           1 CSNK1D

FILE 'WPIDS'
L59           5 CSNK1D

TOTAL FOR ALL FILES
L60          50 CSNK1D
```

```
=> s l60(10a)(muta? or variant# or allel? or polymorph?)
FILE 'MEDLINE'
        605690 MUTA?
        136049 VARIANT#
        135100 ALLEL?
        193129 POLYMORPH?
L61          0 L49(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'SCISEARCH'
        597707 MUTA?
        156416 VARIANT#
        130911 ALLEL?
        233277 POLYMORPH?
L62          0 L50(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'LIFESCI'
        277175 MUTA?
         49074 VARIANT#
         65933 ALLEL?
         82555 POLYMORPH?
L63          0 L51(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'BIOTECHDS'
         52383 MUTA?
         18614 VARIANT#
          9880 ALLEL?
         11873 POLYMORPH?
L64          0 L52(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'BIOSIS'
        666734 MUTA?
        143237 VARIANT#
        159022 ALLEL?
        238789 POLYMORPH?
L65          0 L53(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'EMBASE'
        512838 MUTA?
        119238 VARIANT#
        110681 ALLEL?
        168682 POLYMORPH?
L66          0 L54(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'HCAPLUS'
        619116 MUTA?
        136680 VARIANT#
        133012 ALLEL?
        238659 POLYMORPH?
L67          0 L55(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'NTIS'
         10861 MUTA?
          5024 VARIANT#
           733 ALLEL?
          1792 POLYMORPH?
L68          0 L56(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'ESBIOBASE'
        322887 MUTA?
         61245 VARIANT#
         75118 ALLEL?
         90873 POLYMORPH?
```

```
L69          0 L57(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'BIOTECHNO'
        242571 MUTA?
         41198 VARIANT#
         55235 ALLEL?
         71286 POLYMORPH?
L70          0 L58(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

FILE 'WPIDS'
         39166 MUTA?
         36031 VARIANT#
          9945 ALLEL?
         12273 POLYMORPH?
L71          0 L59(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

TOTAL FOR ALL FILES
L72          0 L60(10A)(MUTA? OR VARIANT# OR ALLEL? OR POLYMORPH?)

=> s (148 or 124) not 2004-2008/py
FILE 'MEDLINE'
       3041907 2004-2008/PY
                 (20040000-20089999/PY)
L73         21 (L37 OR L13) NOT 2004-2008/PY

FILE 'SCISEARCH'
       5727950 2004-2008/PY
                 (20040000-20089999/PY)
L74         19 (L38 OR L14) NOT 2004-2008/PY

FILE 'LIFESCI'
        691170 2004-2008/PY
L75         19 (L39 OR L15) NOT 2004-2008/PY

FILE 'BIOTECHDS'
        115051 2004-2008/PY
L76          1 (L40 OR L16) NOT 2004-2008/PY

FILE 'BIOSIS'
       2596483 2004-2008/PY
L77         28 (L41 OR L17) NOT 2004-2008/PY

FILE 'EMBASE'
       2633738 2004-2008/PY
L78         22 (L42 OR L18) NOT 2004-2008/PY

FILE 'HCAPLUS'
       6148426 2004-2008/PY
L79         44 (L43 OR L19) NOT 2004-2008/PY

FILE 'NTIS'
         75409 2004-2008/PY
L80          0 (L44 OR L20) NOT 2004-2008/PY

FILE 'ESBIOBASE'
       1505543 2004-2008/PY
L81         17 (L45 OR L21) NOT 2004-2008/PY

FILE 'BIOTECHNO'
           586 2004-2008/PY
L82         15 (L46 OR L22) NOT 2004-2008/PY
```

```
FILE 'WPIDS'
       5246219 2004-2008/PY
L83          0 (L47 OR L23) NOT 2004-2008/PY

TOTAL FOR ALL FILES
L84        186 (L48 OR L24) NOT 2004-2008/PY

=> dup rem l84
PROCESSING COMPLETED FOR L84
L85          57 DUP REM L84 (129 DUPLICATES REMOVED)

=> d tot

L85  ANSWER 1 OF 57  HCAPLUS  COPYRIGHT 2008 ACS on STN
TI   Casein kinase i epsilon regulates transcription and period 2 stability
     within the mammalian circadian clock
SO   (2003) 105 pp.  Avail.: UMI, Order No. DA3106752
     From: Diss. Abstr. Int., B 2004, 64(9), 4197
AU   Eide, Erik John
AN   2004:622678  HCAPLUS
DN   142:88347

L85  ANSWER 2 OF 57  BIOSIS  COPYRIGHT (c) 2008 The Thomson Corporation  on STN
TI   Screening methods for altering circadian rhythms and for human
     casein kinase I delta and/or epsilon phosphorylation of
     human clock proteins, period 1, -2 and -3.
SO   Official Gazette of the United States Patent and Trademark Office Patents,
     (Apr 29 2003) Vol. 1269, No. 5. http://www.uspto.gov/web/menu/patdata.html
     . e-file.
     ISSN: 0098-1133 (ISSN print).
AU   Keesler, George A. [Inventor, Reprint Author]; Mondadori, Cesare
     [Inventor]; Yao, Zhengbin [Inventor]; Camacho, Fernando [Inventor]
AN   2003:248650  BIOSIS

L85  ANSWER 3 OF 57     MEDLINE on STN                    DUPLICATE 1
TI   Phosphorylation of FREQUENCY protein by casein kinase
     II is necessary for the function of the Neurospora circadian
     clock.
SO   Molecular and cellular biology, (2003 Sep) Vol. 23, No. 17, pp. 6221-8.
     Journal code: 8109087. ISSN: 0270-7306.
AU   Yang Yuhong; Cheng Ping; He Qiyang; Wang Lixin; Liu Yi
AN   2003381810     MEDLINE

L85  ANSWER 4 OF 57  HCAPLUS  COPYRIGHT 2008 ACS on STN
TI   Isolation of suppressor mutants of phosphatidylinositol 3-phosphate
     5-kinase deficient cells in Schizosaccharomyces pombe
SO   Bioscience, Biotechnology, and Biochemistry (2003), 67(8), 1772-1779
     CODEN: BBBIEJ; ISSN: 0916-8451
AU   Onishi, Masayuki; Nakamura, Yoko; Koga, Takako; Takegawa, Kaoru; Fukui,
     Yasuhisa
AN   2003:721504  HCAPLUS
DN   139:375942

L85  ANSWER 5 OF 57  BIOSIS  COPYRIGHT (c) 2008 The Thomson Corporation  on STN
TI   Comparative analysis of avian BMAL1 and CLOCK protein sequences: A search
     for features associated with owl nocturnal behaviour.
SO   Comparative Biochemistry and Physiology Part B Biochemistry & Molecular
     Biology, (December 2003) Vol. 136B, No. 4, pp. 861-874. print.
     ISSN: 1096-4959 (ISSN print).
AU   Fidler, Andrew E. [Reprint Author]; Gwinner, Eberhard
AN   2004:98668  BIOSIS
```

L85 ANSWER 6 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Circadian rhythm and sleep disorders
SO Igaku no Ayumi (2003), 204(11), 799-802
CODEN: IGAYAY; ISSN: 0039-2359
AU Ebisawa, Takashi
AN 2003:362521 HCAPLUS
DN 139:177551

L85 ANSWER 7 OF 57 MEDLINE on STN DUPLICATE 2
TI CK1 and GSK3 in the Drosophila and mammalian circadian clock.
SO Novartis Foundation symposium, (2003) Vol. 253, pp. 267-77; discussion 102-9, 277-84.
Journal code: 9807767. ISSN: 1528-2511.
AU Harms Emily; Young Michael W; Saez Lino
AN 2004015503 MEDLINE

L85 ANSWER 8 OF 57 MEDLINE on STN DUPLICATE 3
TI A role for CK2 in the Drosophila circadian oscillator.
SO Nature neuroscience, (2003 Mar) Vol. 6, No. 3, pp. 251-7.
Journal code: 9809671. ISSN: 1097-6256.
AU Akten Bikem; Jauch Eike; Genova Ginka K; Kim Eun Young; Edery Isaac; Raabe Thomas; Jackson F Rob
AN 2003089891 MEDLINE

L85 ANSWER 9 OF 57 EMBASE COPYRIGHT (c) 2008 Elsevier B.V. All rights reserved on STN
TI A new role for an old kinase: CK2 and the circadian clock.
SO Nature Neuroscience, (1 Mar 2003) Vol. 6, No. 3, pp. 208-210.
Refs: 13
ISSN: 1097-6256 CODEN: NANEFN
AU Blau, Justin (correspondence)
AN 2003099617 EMBASE

L85 ANSWER 10 OF 57 LIFESCI COPYRIGHT 2008 CSA on STN DUPLICATE 4
TI Mutant casein kinase I (Hrr25p/Kti14p)
abrogates the G1 cell cycle arrest induced by Kluyveromyces lactis zymocin in budding yeast
SO Molecular Genetics and Genomics [Mol. Genet. Genomics], (20030500) vol. 269, no. 2, pp. 188-196.
ISSN: 1617-4615.
AU Mehlgarten, C.; Schaffrath, R.
AN 2003:64326 LIFESCI

L85 ANSWER 11 OF 57 BIOSIS COPYRIGHT (c) 2008 The Thomson Corporation on STN
TI Casein kinase i and circadian rhythms:
effects of manipulation of ckiepsilon activity on period.
SO Society for Neuroscience Abstract Viewer and Itinerary Planner, (2003) Vol. 2003, pp. Abstract No. 284.3. http://sfn.scholarone.com. e-file.
Meeting Info.: 33rd Annual Meeting of the Society of Neuroscience. New Orleans, LA, USA. November 08-12, 2003. Society of Neuroscience.
AU Camacho, F. [Reprint Author]; Hurst, W. J. [Reprint Author]; Vielhaber, E. [Reprint Author]; Harnish, S. [Reprint Author]; Roehr, J. [Reprint Author]; Friedman, E. [Reprint Author]; Menaker, M.; Khorkova, O. [Reprint Author]; Virshup, D.; Giovanni, A. [Reprint Author]
AN 2004:196776 BIOSIS

L85 ANSWER 12 OF 57 BIOTECHDS COPYRIGHT 2008 THOMSON REUTERS on STN
TI Novel hPER2 gene or its mutant form, that participates in the human circadian biological clock, useful as marker for diagnosing familial advanced sleep phase syndrome in human subject;
recombinant protein production via plasmid expression in host cell use

in disease therapy
AU PTACEK L; FU Y; JONES C; VIRSHUP D
AN 2002-19973 BIOTECHDS
PI WO 2002055667 18 Jul 2002

L85 ANSWER 13 OF 57 MEDLINE on STN DUPLICATE 5
TI The circadian regulatory proteins BMAL1 and cryptochromes are substrates of casein kinase Iepsilon.
SO The Journal of biological chemistry, (2002 May 10) Vol. 277, No. 19, pp. 17248-54. Electronic Publication: 2002-03-01.
Journal code: 2985121R. ISSN: 0021-9258.
AU Eide Erik J; Vielhaber Erica L; Hinz William A; Virshup David M
AN 2002253137 MEDLINE

L85 ANSWER 14 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Oscillatory mechanism of mammalian circadian rhythm
SO Tanpakushitsu Kakusan Koso (2002), 47(14), 1914-1923
CODEN: TAKKAJ; ISSN: 0039-9450
AU Nagai, Katsuya; Isojima, Yasushi; Okumura, Nobuaki
AN 2002:824521 HCAPLUS
DN 137:335384

L85 ANSWER 15 OF 57 MEDLINE on STN DUPLICATE 6
TI Control of intracellular dynamics of mammalian period proteins by casein kinase I epsilon (CKIepsilon) and CKIdelta in cultured cells.
SO Molecular and cellular biology, (2002 Mar) Vol. 22, No. 6, pp. 1693-703.
Journal code: 8109087. ISSN: 0270-7306.
AU Akashi Makoto; Tsuchiya Yoshiki; Yoshino Takao; Nishida Eisuke
AN 2002129621 MEDLINE

L85 ANSWER 16 OF 57 MEDLINE on STN DUPLICATE 7
TI Regulation of the Neurospora circadian clock by casein kinase II.
SO Genes & development, (2002 Apr 15) Vol. 16, No. 8, pp. 994-1006.
Journal code: 8711660. ISSN: 0890-9369.
AU Yang Yuhong; Cheng Ping; Liu Yi
AN 2002222772 MEDLINE

L85 ANSWER 17 OF 57 BIOSIS COPYRIGHT (c) 2008 The Thomson Corporation on STN
TI Sequential multisite phosphorylation by casein kinase I epsilon (CKIepsilon).
SO FASEB Journal, (March 22, 2002) Vol. 16, No. 5, pp. A917. print.
Meeting Info.: Annual Meeting of Professional Research Scientists on Experimental Biology. New Orleans, Louisiana, USA. April 20-24, 2002.
CODEN: FAJOEC. ISSN: 0892-6638.
AU Toh, Kong Leong [Reprint author]; Thulin, Craig; Fu, Ying-Hui; Ptacek, Louis J.; Virshup, David M.
AN 2002:369813 BIOSIS

L85 ANSWER 18 OF 57 MEDLINE on STN DUPLICATE 8
TI A role for casein kinase 2alpha in the Drosophila circadian clock.
SO Nature, (Dec 19-26 2002) Vol. 420, No. 6917, pp. 816-20.
Journal code: 0410462. ISSN: 0028-0836.
AU Lin Jui-Ming; Kilman Valerie L; Keegan Kevin; Paddock Brie; Emery-Le Myai; Rosbash Michael; Allada Ravi
AN 2002728581 MEDLINE

L85 ANSWER 19 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI The Drosophila clock protein Timeless is a member of the Arm/HEAT family
SO Current Biology (2002), 12(18), R610-R611

CODEN: CUBLE2; ISSN: 0960-9822
AU Vodovar, Nicolas; Clayton, Jonathan D.; Costa, Rodolfo; Odell, Mark; Kyriacou, Charalambos P.
AN 2002:787894 HCAPLUS
DN 138:150375

L85 ANSWER 20 OF 57 BIOSIS COPYRIGHT (c) 2008 The Thomson Corporation on STN
TI No evidence for linkage or linkage disequilibrium to nine circadian clock genes in bipolar disorder.
SO American Journal of Human Genetics, (October, 2002) Vol. 71, No. 4 Supplement, pp. 487. print.
Meeting Info.: 52nd Annual Meeting of the American Society of Human Genetics. Baltimore, MD, USA. October 15-19, 2002. American Society of Human Genetics.
CODEN: AJHGAG. ISSN: 0002-9297.
AU Nievergelt, C. M. [Reprint author]; Kripke, D. F. [Reprint author]; Schork, N. J. [Reprint author]; Kelsoe, J. R. [Reprint author]
AN 2002:625018 BIOSIS

L85 ANSWER 21 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Two splice variants of Nopp140 in Drosophila melanogaster
SO Molecular Biology of the Cell (2002), 13(1), 362-381
CODEN: MBCEEV; ISSN: 1059-1524
AU Waggener, John M.; DiMario, Patrick J.
AN 2002:79425 HCAPLUS
DN 136:229625

L85 ANSWER 22 OF 57 MEDLINE on STN
TI A role for cryptochromes in sleep regulation.
SO BMC neuroscience, (2002 Dec 20) Vol. 3, pp. 20. Electronic Publication: 2002-12-20.
Journal code: 100966986. E-ISSN: 1471-2202.
AU Wisor Jonathan P; O'Hara Bruce F; Terao Akira; Selby Chris P; Kilduff Thomas S; Sancar Aziz; Edgar Dale M; Franken Paul
AN 2003149475 MEDLINE

L85 ANSWER 23 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Immortalized Suprachiasmatic Nucleus Cells Express Components of Multiple Circadian Regulatory Pathways
SO Biochemical and Biophysical Research Communications (2002), 292(1), 20-30
CODEN: BBRCA9; ISSN: 0006-291X
AU Hurst, William J.; Earnest, David; Gillette, Martha U.
AN 2002:178271 HCAPLUS
DN 137:198824

L85 ANSWER 24 OF 57 LIFESCI COPYRIGHT 2008 CSA on STN DUPLICATE 9
TI A role for cryptochromes in sleep regulation
SO BMC Neuroscience [Bmc Neurosci.], (20020000) vol. 3, [np].
ISSN: 1471-2202.
AU Wisor, Jonathan P; OHara, Bruce F; Terao, Akira; Selby, Chris P; Kilduff, Thomas S; Sancar, Aziz; Edgar, Dale M; Franken, Paul
AN 2005:55688 LIFESCI

L85 ANSWER 25 OF 57 MEDLINE on STN DUPLICATE 10
TI The Drosophila double-timeS mutation delays the nuclear accumulation of period protein and affects the feedback regulation of period mRNA.
SO The Journal of neuroscience : the official journal of the Society for Neuroscience, (2001 Sep 15) Vol. 21, No. 18, pp. 7117-26.
Journal code: 8102140. E-ISSN: 1529-2401.
AU Bao S; Rihel J; Bjes E; Fan J Y; Price J L
AN 2001500577 MEDLINE

L85 ANSWER 26 OF 57 SCISEARCH COPYRIGHT (c) 2008 The Thomson Corporation on STN DUPLICATE 11
TI Phosphorylation of the G(q/11)-coupled M-3-muscarinic receptor is involved in receptor activation of the ERK-1/2 mitogen-activated protein kinase pathway
SO JOURNAL OF BIOLOGICAL CHEMISTRY, (16 FEB 2001) Vol. 276, No. 7, pp. 4581-4587.
ISSN: 0021-9258.
AU Budd D C; Willars G B; McDonald J E; Tobin A B (Reprint)
AN 2001:377953 SCISEARCH

L85 ANSWER 27 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Posttranslational mechanisms regulate the mammalian circadian clock
SO Cell (Cambridge, MA, United States) (2001), 107(7), 855-867
CODEN: CELLB5; ISSN: 0092-8674
AU Lee, Choogon; Etchegaray, Jean-Pierre; Cagampang, Felino R. A.; Loudon, Andrew S. I.; Reppert, Steven M.
AN 2002:33658 HCAPLUS
DN 136:229989

L85 ANSWER 28 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Constitutive expression and delayed light response of casein kinase Iε and Iδ mRNAs in the mouse suprachiasmatic nucleus
SO Journal of Neuroscience Research (2001), 64(6), 612-616
CODEN: JNREDK; ISSN: 0360-4012
AU Ishida, Yoshiki; Yagita, Kazuhiro; Fukuyama, Tsuyoshi; Nishimura, Masataka; Nagano, Mamoru; Shigeyoshi, Yasufumi; Yamaguchi, Shun; Komori, Takahide; Okamura, Hitoshi
AN 2001:447709 HCAPLUS
DN 135:135222

L85 ANSWER 29 OF 57 MEDLINE on STN DUPLICATE 12
TI Casein kinase I: another cog in the circadian clockworks.
SO Chronobiology international, (2001 May) Vol. 18, No. 3, pp. 389-98. Ref: 33
Journal code: 8501362. ISSN: 0742-0528.
AU Eide E J; Virshup D M
AN 2002025971 MEDLINE

L85 ANSWER 30 OF 57 MEDLINE on STN DUPLICATE 13
TI Human casein kinase Idelta phosphorylation of human circadian clock proteins period 1 and 2.
SO FEBS letters, (2001 Feb 2) Vol. 489, No. 2-3, pp. 159-65.
Journal code: 0155157. ISSN: 0014-5793.
AU Camacho F; Cilio M; Guo Y; Virshup D M; Patel K; Khorkova O; Styren S; Morse B; Yao Z; Keesler G A
AN 2001151845 MEDLINE

L85 ANSWER 31 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Casein kinase I: from obscurity to center stage
SO IUBMB Life (2001), 51(2), 73-78
CODEN: IULIF8; ISSN: 1521-6543
AU Vielhaber, Erica; Virshup, David M.
AN 2001:522755 HCAPLUS
DN 135:163926

L85 ANSWER 32 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Catalytic Activity of Protein Kinase CK1δ (Casein Kinase 1δ) Is Essential for Its Normal Subcellular Localization
SO Experimental Cell Research (2001), 263(1), 43-54

CODEN: ECREAL; ISSN: 0014-4827
AU Milne, Diane M.; Looby, Paul; Meek, David W.
AN 2001:54084 HCAPLUS
DN 134:278412

L85 ANSWER 33 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI The role of casein kinase Iε in regulating mammalian circadian rhythms
SO (2000) 153 pp. Avail.: UMI, Order No. DA9991374
From: Diss. Abstr. Int., B 2001, 61(10), 5162
AU Vielhaber, Erica Lynn
AN 2001:684880 HCAPLUS
DN 136:83251

L85 ANSWER 34 OF 57 MEDLINE on STN DUPLICATE 14
TI Two novel doubletime mutants alter circadian properties and eliminate the delay between RNA and protein in Drosophila.
SO The Journal of neuroscience : the official journal of the Society for Neuroscience, (2000 Oct 15) Vol. 20, No. 20, pp. 7547-55.
Journal code: 8102140. E-ISSN: 1529-2401.
AU Suri V; Hall J C; Rosbash M
AN 2001264998 MEDLINE

L85 ANSWER 35 OF 57 MEDLINE on STN DUPLICATE 15
TI Nuclear entry of the circadian regulator mPER1 is controlled by mammalian casein kinase I epsilon.
SO Molecular and cellular biology, (2000 Jul) Vol. 20, No. 13, pp. 4888-99.
Journal code: 8109087. ISSN: 0270-7306.
AU Vielhaber E; Eide E; Rivers A; Gao Z H; Virshup D M
AN 2000307892 MEDLINE

L85 ANSWER 36 OF 57 MEDLINE on STN DUPLICATE 16
TI Short-period mutations of per affect a double-time-dependent step in the Drosophila circadian clock.
SO Current biology : CB, (2000 Nov 2) Vol. 10, No. 21, pp. 1399-402.
Journal code: 9107782. ISSN: 0960-9822.
AU Rothenfluh A; Abodeely M; Young M W
AN 2001113260 MEDLINE

L85 ANSWER 37 OF 57 MEDLINE on STN DUPLICATE 17
TI Positional syntenic cloning and functional characterization of the mammalian circadian mutation tau.
SO Science (New York, N.Y.), (2000 Apr 21) Vol. 288, No. 5465, pp. 483-92.
Journal code: 0404511. ISSN: 0036-8075.
AU Lowrey P L; Shimomura K; Antoch M P; Yamazaki S; Zemenides P D; Ralph M R; Menaker M; Takahashi J S
AN 2000237939 MEDLINE

L85 ANSWER 38 OF 57 LIFESCI COPYRIGHT 2008 CSA on STN
TI Circadian rhythms: Marking time for a kingdom
SO Science (Washington) [Science (Wash.)], (20000421) vol. 288, no. 5465, pp. 451-453.
ISSN: 0036-8075.
AU Young, M.W.
AN 2000:49677 LIFESCI

L85 ANSWER 39 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Involvement of asparagine 118 in the nucleotide specificity of the catalytic subunit of protein kinase CK2
SO FEBS Letters (2000), 466(2,3), 363-366
CODEN: FEBLAL; ISSN: 0014-5793
AU Jacob, Germaine; Neckelman, Guy; Jimenez, Monica; Allende, Catherine C.;

```
     Allende, Jorge E.
AN   2000:134193  HCAPLUS
DN   132:177401

L85  ANSWER 40 OF 57  HCAPLUS  COPYRIGHT 2008 ACS on STN
TI   Cloning and characterization of rat casein kinase 1ε
SO   FEBS Letters (2000), 477(1,2), 106-112
     CODEN: FEBLAL; ISSN: 0014-5793
AU   Takano, A.; Shimizu, K.; Kani, S.; Buijs, R. M.; Okada, M.; Nagai, K.
AN   2000:490450  HCAPLUS
DN   133:277978

L85  ANSWER 41 OF 57  BIOSIS  COPYRIGHT (c) 2008 The Thomson Corporation  on
     STN
TI   Biochemical and genetic analyses of the role of yeast casein kinase 2 in
     salt tolerance.
SO   Journal of Bacteriology, (Oct., 1999) Vol. 181, No. 20, pp. 6456-6462.
     print.
     CODEN: JOBAAY. ISSN: 0021-9193.
AU   de Nadal, Eulalia; Calero, Fernando; Ramos, Jose; Arino, Joaquin [Reprint
     author]
AN   2000:103316  BIOSIS

L85  ANSWER 42 OF 57  HCAPLUS  COPYRIGHT 2008 ACS on STN
TI   The Npc1 mutation causes an altered expression of caveolin-1, annexin II
     and protein kinases and phosphorylation of caveolin-1 and annexin II in
     murine livers
SO   Biochimica et Biophysica Acta, Molecular Basis of Disease (1999), 1453(2),
     193-206
     CODEN: BBADEX; ISSN: 0925-4439
AU   Garver, W. S.; Hossain, G. S.; Winscott, M. M.; Heidenreich, R. A.
AN   1999:141390  HCAPLUS
DN   130:323931

L85  ANSWER 43 OF 57  LIFESCI    COPYRIGHT 2008 CSA on STN
TI   Structural interpretation of site-directed mutagenesis and specificity of
     the catalytic subunit of protein kinase CK2 using comparative modelling
SO   Protein Engineering, (19990200) vol. 12, no. 2, 119.
     ISSN: 0269-2139.
AU   Srinivasan, N; Antonelli, M; Jacob, G; Korn, I; Romero, F; Jedlicki, A;
     Dhanaraj, V; Sayed, MFR; Blundell, TL; Allende, CC; Allende, JE
AN   2008:68666  LIFESCI

L85  ANSWER 44 OF 57     MEDLINE on STN                    DUPLICATE 18
TI   The Kluyveromyces lactis equivalent of casein kinase I is required for the
     transcription of the gene encoding the low-affinity glucose permease.
SO   Molecular & general genetics : MGG, (1997 Jan 27) Vol. 253, No. 4, pp.
     469-77.
     Journal code: 0125036. ISSN: 0026-8925.
AU   Blaisonneau J; Fukuhara H; Wesolowski-Louvel M
AN   1997188522     MEDLINE

L85  ANSWER 45 OF 57  HCAPLUS  COPYRIGHT 2008 ACS on STN
TI   Prenylated isoforms of yeast casein kinase I, including the novel Yck3p,
     suppress the gcs1 blockage of cell proliferation from stationary phase
SO   Molecular and Cellular Biology (1996), 16(10), 5375-5385
     CODEN: MCEBD4; ISSN: 0270-7306
AU   Wang, Xiangmin; Hoekstra, Merl F.; DeMaggio, Anthony J.; Dhillon, Namrita;
     Vancura, Ales; Kuret, Jeff; Johnston, Gerald C.; Singer, Richard A.
AN   1996:592562  HCAPLUS
DN   125:242757
OREF 125:45249a,45252a
```

L85 ANSWER 46 OF 57 LIFESCI COPYRIGHT 2008 CSA on STN DUPLICATE 19
TI Phosphorylation of I Kappa B alpha in the C-terminal PEST domain by casein kinase II affects intrinsic protein stability
SO MOL. CELL. BIOL., (1996) vol. 16, no. 4, pp. 1401-1409. ISSN: 0270-7306.
AU Lin, Rongtuan; Beauparlant, P.; Makris, C.; Meloche, S.; Hiscott, J.*
AN 96:65598 LIFESCI

L85 ANSWER 47 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Protein kinases of the casein kinase I HRR25 family and their DNA sequence and antibodies
SO PCT Int. Appl., 125 pp. CODEN: PIXXD2
IN Hoekstra, Merl F.
AN 1995:835669 HCAPLUS
DN 123:221796
OREF 123:39395a,39398a

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9519993	A1	19950727	WO 1995-US955	19950123
	W: CA, JP				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	US 6060296	A	20000509	US 1994-185359	19940121
	EP 690876	A1	19960110	EP 1995-909318	19950123
	EP 690876	B1	19990623		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
	JP 08509504	T	19961008	JP 1995-519735	19950123
	JP 3091769	B2	20000925		

L85 ANSWER 48 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Site-directed mutants of the β subunit of protein kinase CK2 demonstrate the important role of Pro-58
SO FEBS Letters (1995), 368(2), 211-14 CODEN: FEBLAL; ISSN: 0014-5793
AU Hinrichs, Maria Victoria; Gatica, Marta; Allende, Catherine C.; Allende, Jorge E.
AN 1995:714786 HCAPLUS
DN 123:137266
OREF 123:24300h,24301a

L85 ANSWER 49 OF 57 SCISEARCH COPYRIGHT (c) 2008 The Thomson Corporation on STN DUPLICATE 20
TI EFFECTS OF AUTOPHOSPHORYLATION ON CASEIN KINASE-II ACTIVITY - EVIDENCE FROM MUTATIONS IN THE BETA-SUBUNIT
SO BIOCHEMISTRY, (7 JUN 1994) Vol. 33, No. 22, pp. 6998-7004. ISSN: 0006-2960.
AU LIN W J (Reprint); SHEU G T; TRAUGH J A
AN 1994:359956 SCISEARCH

L85 ANSWER 50 OF 57 MEDLINE on STN DUPLICATE 21
TI Casein kinase II mediates multiple phosphorylation of Saccharomyces cerevisiae eIF-2 alpha (encoded by SUI2), which is required for optimal eIF-2 function in S. cerevisiae.
SO Molecular and cellular biology, (1994 Aug) Vol. 14, No. 8, pp. 5139-53. Journal code: 8109087. ISSN: 0270-7306.
AU Feng L; Yoon H; Donahue T F
AN 1994309634 MEDLINE

L85 ANSWER 51 OF 57 MEDLINE on STN DUPLICATE 22
TI Efficient autophosphorylation and phosphorylation of the beta-subunit by casein kinase-2 require the integrity of an acidic cluster 50 residues

downstream from the phosphoacceptor site.
SO The Journal of biological chemistry, (1994 Feb 18) Vol. 269, No. 7, pp. 4827-31.
Journal code: 2985121R. ISSN: 0021-9258.
AU Boldyreff B; Meggio F; Pinna L A; Issinger O G
AN 1994148927 MEDLINE

L85 ANSWER 52 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Isolation of an Arabidopsis thaliana casein kinase II β subunit by complementation in Saccharomyces cerevisiae
SO Plant Molecular Biology (1994), 25(4), 649-58
CODEN: PMBIDB; ISSN: 0167-4412
AU Collinge, Margaret A.; Walker, John C.
AN 1994:647714 HCAPLUS
DN 121:247714
OREF 121:45059a,45062a

L85 ANSWER 53 OF 57 MEDLINE on STN DUPLICATE 23
TI Reconstitution of normal and hyperactivated forms of casein kinase-2 by variably mutated beta-subunits.
SO Biochemistry, (1993 Nov 30) Vol. 32, No. 47, pp. 12672-7.
Journal code: 0370623. ISSN: 0006-2960.
AU Boldyreff B; Meggio F; Pinna L A; Issinger O G
AN 1994072562 MEDLINE

L85 ANSWER 54 OF 57 MEDLINE on STN DUPLICATE 24
TI The autophosphorylation and p34cdc2 phosphorylation sites of casein kinase-2 beta-subunit are not essential for reconstituting the fully-active heterotetrameric holoenzyme.
SO Biochimica et biophysica acta, (1993 Jul 10) Vol. 1164, No. 2, pp. 223-5.
Journal code: 0217513. ISSN: 0006-3002.
AU Meggio F; Boldyreff B; Issinger O G; Pinna L A
AN 1993320114 MEDLINE

L85 ANSWER 55 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
TI Purification and characterization of casein kinase II (CKII) from . DELTA.cka1 Δ cka2 Saccharomyces cerevisiae rescued by Drosophila CKII subunits. The free catalytic subunit of casein kinase II is not toxic in vivo
SO Journal of Biological Chemistry (1992), 267(26), 18790-6
CODEN: JBCHA3; ISSN: 0021-9258
AU Bidwai, Ashok P.; Hanna, David E.; Glover, Claiborne V. C.
AN 1992:506963 HCAPLUS
DN 117:106963
OREF 117:18537a,18540a

L85 ANSWER 56 OF 57 MEDLINE on STN DUPLICATE 25
TI Phosphorylation of delta sleep-inducing peptide (DSIP) by casein kinase II in vitro.
SO Peptides, (1991 Nov-Dec) Vol. 12, No. 6, pp. 1375-7.
Journal code: 8008690. ISSN: 0196-9781.
AU Nakamura A; Shiomi H
AN 1992270491 MEDLINE

L85 ANSWER 57 OF 57 BIOSIS COPYRIGHT (c) 2008 The Thomson Corporation on STN
TI PHOSPHORYLATION OF DELTA-SLEEP-INDUCING PEPTIDE DSIP BY CASEIN KINASE II IN-VITRO.
SO Japanese Journal of Pharmacology, (1991) Vol. 55, No. SUPPL. 1, pp. 115P.
Meeting Info.: 64TH ANNUAL MEETING OF THE JAPANESE PHARMACOLOGICAL SOCIETY, KOBE, JAPAN, MARCH 24-27, 1991. JPN J PHARMACOL.
CODEN: JJPAAZ. ISSN: 0021-5198.

AU NAKAMURA A [Reprint author]; SHIOMI H
AN 1991:382024 BIOSIS

=> d ab 6,7,10,11,14,15,27,29-31,33,47

L85 ANSWER 6 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
AB A review on candidate genes in human circadian rhythm sleep disorders. The topics discussed are (1) association of polymorphisms of the period3 (Per3) gene, casein kinase 1ε gene and melatonin 1a receptor gene with delayed sleep phase syndrome (DSPS) and non-24-h sleep-wake syndrome (N-24); and (3) polymorphisms of the period2 (Per2) and clock genes in advanced sleep phase syndrome (ASPS).

L85 ANSWER 7 OF 57 MEDLINE on STN DUPLICATE 2
AB Two kinases, DOUBLETIME and SHAGGY, have been shown to play a role in the circadian clock. DOUBLETIME, the Drosophila orthologue of casein kinase 1, can phosphorylate PERIOD in the cytoplasm and in the nucleus. This phosphorylation destabilizes PERIOD in both locations and sets patterns of both cytoplasmic accumulation and nuclear turnover. Cytoplasmic phosphorylation postpones accumulation of PERIOD and affects timing of nuclear accumulation of PERIOD/ TIMELESS complexes. SHAGGY, the Drosophila orthologue of glycogen synthase kinase 3, phosphorylates TIMELESS and promotes nuclear translocation of PERIOD/ TIMELESS complexes. Thus, the opposing effects of these two kinases in the cytoplasm are crucial for establishing the approximately 24 h period of circadian rhythmicity in Drosophila. Casein Kinase 1 has been shown to be a component of the circadian clock in mammals. Recent studies are also pointing to a role for glycogen synthase kinase 3 in the mammalian clock.

L85 ANSWER 10 OF 57 LIFESCI COPYRIGHT 2008 CSA on STN DUPLICATE 4
AB Zymocin, a toxic protein complex produced by Kluyveromyces lactis, inhibits cell cycle progression in Saccharomyces cerevisiae. In studying its action, a resistant mutant (kti14-1) was found to express the tot-phenotype typical of tot Delta cells, toxin target (TOT) mutants that are impaired in RNA polymerase II Elongator function. Phenotypic analysis of a kti14-1 tot3 Delta double mutant revealed a functional link between KTI14 and TOT /Elongator. Unlike tot Delta cells, the kti14-1 mutant is sensitive to the drug methylmethane sulfonate (MMS), indicating that, besides being affected in TOT function, kti14-1 cells are also compromised in DNA repair. Single-copy complementation identified HRR25, which codes for casein kinase I (CKI), as KTI14. Kinase-minus hrr25 mutations (K38A and T176I) conferred zymocin resistance, while deletion of the other yeast CKI genes (YCK1-3) had no effect. A mutation in KTI14 that truncates the P/Q-rich C-terminus of Hrr25p also dissociates MMS sensitivity from zymocin resistance; this mutant is resistant to the toxin, but shows normal sensitivity to MMS. Thus, although kinase-minus mutations are sufficient to protect yeast cells from zymocin, toxicity is also dependent on the integrity of the C-terminal region of Hrr25p, which has been implicated in determining the substrate specificity or localization of Hrr25p.

L85 ANSWER 11 OF 57 BIOSIS COPYRIGHT (c) 2008 The Thomson Corporation on STN
AB Post-translational modification of molecular clock components has been implicated as a critical regulator of circadian rhythms. Phosphorylation of PERIOD (PER) by casein kinase I epsilon (CKIepsilon) appears to be a key component of the molecular clock that drives circadian rhythms in the central pacemaker and periphery. Drosophila with mutations in the

dCKIepsilon gene, double-time (dbt), demonstrated lengthening or shortening of period. The tau hamster contains a mutation in CKIepsilon that renders the enzyme less effective in phosphorylating PER, and the mutation on the CKIepsilon phosphorylation site in hPer2 identified in a family with advanced sleep phase syndrome (FASPS) appear to relate decreased phosphorylation by CKIepsilon to a shortening of period. In these studies we assessed the effects of CKIepsilon modulation on PER phosphorylation and how this relates to the circadian rhythm of the molecular clock. Over expression of kinase dead CKIepsilon (K38A) in Rat-1 fibroblast induced a longer phase on Rev-erba, a circadian controlled gene. In contrast, over expression of CKIepsilon induced a shortened phase on Rev-erba. Using the commercially available CKIepsilon inhibitors Icos-261 and CK1-7 we demonstrate a dose dependent decrease in phosphorylated PER (1 and 2) in transfected cells. Furthermore, using a Rat-1 Per1-luc circadian cell model (see Hurst et al. Neuroscience 2003) we show that both Icos-261 and CK1-7 induce a significant, dose dependant increase in period with an estimated 1h lengthening occurring at 1-10 uM. Our findings on the circadian effects of modulating CKIepsilon activity contrasts the phenotype observed in the tau hamster and FASPS, but further illuminate the critical role of CKIepsilon in the regulation of the circadian clock.

L85 ANSWER 14 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN

AB A review on the mammalian oscillating mechanism and proteins involved therein, discussing characteristics of circadian rhythm, circadian oscillation by pos.-neg. feedback loop, identification and functional anal. of oscillating proteins in the suprachiasmatic nucleus (SCN), such as SCOP (SCN circadian oscillatory protein), casein kinase 1ε (CK1ε), PIPS (Per1 interacting protein of the SCN), and BIT/SHIPS1.

L85 ANSWER 15 OF 57 MEDLINE on STN DUPLICATE 6

AB Recent studies have shown that casein kinase I epsilon (CKIepsilon) is an essential regulator of the mammalian circadian clock. However, the detailed mechanisms by which CKIepsilon regulates each component of the circadian negative-feedback loop have not been fully defined. We show here that mPer proteins, negative limbs of the autoregulatory loop, are specific substrates for CKIepsilon and CKIdelta. The CKI phosphorylation of mPer1 and mPer3 proteins results in their rapid degradation, which is dependent on the ubiquitin-proteasome pathway. Moreover, CKIepsilon and CKIdelta are able to induce nuclear translocation of mPer3, which requires its nuclear localization signal. The mutation in potential phosphorylation sites on mPer3 decreased the extent of both nuclear translocation and degradation of mPer3 that are stimulated by CKIepsilon. CKIepsilon and CKIdelta affected the inhibitory effect of mPer proteins on the transcriptional activity of BMAL1-CLOCK, but the inhibitory effect of mCry proteins on the activity of BMAL1-CLOCK was unaffected. These results suggest that CKIepsilon and CKIdelta regulate the mammalian circadian autoregulatory loop by controlling both protein turnover and subcellular localization of mPer proteins.

L85 ANSWER 27 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN

AB We have examined posttranslational regulation of clock proteins in mouse liver in vivo. The mouse PERIOD proteins (mPER1 and mPER2), CLOCK, and BMAL1 undergo robust circadian changes in phosphorylation. These proteins, the cryptochromes (mCRY1 and mCRY2), and casein kinase I epsilon (CKIε) form multimeric complexes that are bound to DNA during neg. transcriptional feedback. CLOCK:BMAL1 heterodimers remain bound to DNA over the circadian cycle. The temporal increase in mPER abundance controls the neg. feedback interactions. Anal. of clock proteins in mCRY-deficient mice shows that the mCRYs are necessary for stabilizing phosphorylated mPER2 and for the nuclear accumulation of mPER1, mPER2, and

CKIε. We also provide in vivo evidence that casein kinase I delta is a second clock relevant kinase.

L85 ANSWER 29 OF 57 MEDLINE on STN DUPLICATE 12
AB Multiple components of the circadian central clock are phosphoproteins, and it has become increasingly clear that posttranslational modification is an important regulator of circadian rhythm in diverse organisms, from dinoflagellates to humans. Genetic studies in Drosophila have identified double-time (dbt), a serine/threonine protein kinase that is highly homologous to human casein kinase I epsilon (CKIepsilon), as the first kinase linked to behavioral rhythms. Identification of a missense mutation in CKIepsilon as the tau mutation in the Syrian hamster places CKIepsilon within the core clock machinery in mammals. Most recently, identification of a phosphorylation site mutant of hPER2 in a family with an inherited circadian rhythm abnormality strongly suggests that PER2 is a physiologically relevant substrate of CKI. Phosphorylation may regulate multiple properties of clock proteins, including stability and intracellular localization.

L85 ANSWER 30 OF 57 MEDLINE on STN DUPLICATE 13
AB Casein kinase Iepsilon (CKIepsilon), a central component of the circadian clock, interacts with and phosphorylates human period protein 1 (hPER1) [Keesler, G.A. et al. (2000) NeuroReport 5, 951-955]. A mutation in CKIepsilon causes a shortened circadian period in Syrian Golden hamster. We have now extended our previous studies to show that human casein kinase Idelta (hCKIdelta), the closest homologue to hCKIepsilon, associates with and phosphorylates hPER1 and causes protein instability. Furthermore, we observed that both hCKIdelta and hCKIepsilon phosphorylated and caused protein instability of human period 2 protein (hPER2). Immunohistochemical staining of rat brains demonstrates that CKIdelta protein is localized in the suprachiasmatic nuclei, the central location of the master clock. These results indicate that CKIdelta may play a role similar to CKIepsilon, suggesting that it may also be involved in regulating circadian rhythmicity by post-translation modification of mammalian clock proteins hPER1 and 2.

L85 ANSWER 31 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
AB A review with 52 refs. The casein kinase I (CKI) family of protein kinases is a group of highly related, ubiquitously expressed serine/threonine kinases found in all eukaryotic organisms from protozoa to man. Recent advances in diverse fields, including developmental biol. and chronobiol., have elucidated roles for CKI isoforms in regulating critical processes such as Wnt signaling, circadian rhythm, NF-AT4 nuclear import, and Alzheimer's disease progression.

L85 ANSWER 33 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
AB Unavailable

L85 ANSWER 47 OF 57 HCAPLUS COPYRIGHT 2008 ACS on STN
AB Protein kinase mutant and wild-type genes encoding polypeptides of the class designated casein kinase I and useful in screening compns. which may affect DNA double-strand break repair activity are disclosed. Also disclosed are methods using the polynucleotides in cell-proliferative disorders. Specifically illustrating the invention are Saccharomyces cerevisiae DNAs including those encoding HRR25 and NUF1, Schizosaccharomyces pombe DNAs including those encoding Hhp1+ and Hhp2+, and human DNAs including those encoding CKIα1Hu, CHIα2Hu, CHIα3Hu, CHIγ1Hu, CHIγ2Hu, and CHI δ Hu.
Also provided are autonomously replicating recombinant constructions such as plasmid and viral DNA vectors incorporating such sequences and especially vectors wherein DNA encoding an HRR25-like casein kinase I protein is

```
     linked to an endogenous or exogenous expression control DNA sequence.
     Monoclonal antibodies specific or HRR25-like proteins were secreted by
     hybridomas 75C10H, 80J9E, 94A1D, 94F4A, 94J11c, and 128A.


=> fil .becpat
COST IN U.S. DOLLARS                              SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                   148.59     148.80

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)        SINCE FILE      TOTAL
                                                       ENTRY    SESSION
CA SUBSCRIBER PRICE                                    -4.00      -4.00

FILES 'BIOTECHDS, HCAPLUS, WPIDS' ENTERED AT 16:26:07 ON 25 AUG 2008
ALL COPYRIGHTS AND RESTRICTIONS APPLY.  SEE HELP USAGETERMS FOR DETAILS.

3 FILES IN THE FILE LIST

=> s (l48 or l24) and wo/pc and pry<=2003 and py>=2004 range=2004,
FILE 'BIOTECHDS'
         27255 WO/PC
         29117 PRY<=2003
                 (PRY<=2003)
        115041 PY>=2004
                 (PY>=2004)
L86          2 (L40 OR L16) AND WO/PC AND PRY<=2003 AND PY>=2004

FILE 'HCAPLUS'
        339674 WO/PC
        815905 PRY<=2003
       5725252 PY>=2004
L87          3 (L43 OR L19) AND WO/PC AND PRY<=2003 AND PY>=2004

FILE 'WPIDS'
        617750 WO/PC
       1528657 PRY<=2003
       4094822 PY>=2004
                 (PY>=2004)
L88          2 (L47 OR L23) AND WO/PC AND PRY<=2003 AND PY>=2004

TOTAL FOR ALL FILES
L89          7 (L48 OR L24) AND WO/PC AND PRY<=2003 AND PY>=2004

=> dup rem l89
PROCESSING COMPLETED FOR L89
L90           4 DUP REM L89 (3 DUPLICATES REMOVED)

=> d tot

L90   ANSWER 1 OF 4  BIOTECHDS COPYRIGHT 2008 THOMSON REUTERS on STN
TI    Screening bioactive agents for treating or preventing neuropsychiatric
      disorders, e.g. bipolar disorders, comprises determining the effect of
      the bioactive agent candidates on the expression of an expression profile
      gene;
         involving vector-mediated gene transfer and expression in host cell
         for gene therapy and drug screening
AU    NICULESCU A B; KUCZENSKI R T; LOHR J B
AN    2005-15303  BIOTECHDS
PI    WO 2005034719 21 Apr 2005

L90  ANSWER 2 OF 4  HCAPLUS  COPYRIGHT 2008 ACS on STN
```

```
TI   Sleep-related genes in Drosophila and their use for the screening,
     diagnosis and therapy of sleep disorders
SO   PCT Int. Appl., 268 pp.
     CODEN: PIXXD2
IN   Tononi, Giulio; Cirelli, Chiara
AN   2005:589224  HCAPLUS
DN   143:92115
     PATENT NO.          KIND   DATE        APPLICATION NO.        DATE
     ---------------     ----   --------    --------------------   --------
PI   WO 2005061736        A2    20050707    WO 2004-US41948        20041215 <--
     WO 2005061736        A3    20060316
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
             LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
             NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
             TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, SM, US
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
             RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
             MR, NE, SN, TD, TG
     US 20050166269       A1    20050728    US 2004-13314          20041215 <--

L90  ANSWER 3 OF 4  HCAPLUS  COPYRIGHT 2008 ACS on STN
TI   Preparation of substituted 1H-pyrrolo[3,2-b, 3,2-c, and
     2,3-c]pyridine-2-carboxamides and related analogs as inhibitors of casein
     kinase 1ε
SO   U.S. Pat. Appl. Publ., 30 pp.
     CODEN: USXXCO
IN   Metz, William A.; Halley, Frank; Dutruc-Rosset, Gilles; Choi-Sledeski,
     Yong Mi; Bernard, Poli Gregory; Fink, David Marc; Doerflinger, Gilles;
     Huang, Bao-Guo; Gelormini, Ann Marie; Gamboa, Juan Antonio; Giovanni,
     Andrew; Roehr, Joachim E.; Tsay, Joseph T.; Camacho, Fernando; Hurst,
     William Joseph; Harnish, Stephen Wayne; Chiang, Yulin
AN   2005:527395  HCAPLUS
DN   143:43870
     PATENT NO.          KIND   DATE        APPLICATION NO.        DATE
     ---------------     ----   --------    --------------------   --------
PI   US 20050131012       A1    20050616    US 2004-1533           20041201 <--
     US 7402672           B2    20080722
     AU 2004303826        A1    20050707    AU 2004-303826         20041201 <--
     CA 2549183           A1    20050707    CA 2004-2549183        20041201 <--
     WO 2005061498        A1    20050707    WO 2004-US40080        20041201 <--
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
             LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
             NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
             TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
             RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
             MR, NE, SN, TD, TG
     CN 1906194           A     20070131    CN 2004-80040577       20041201 <--
     EP 1747220           A1    20070131    EP 2004-812567         20041201 <--
         R:  AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR
     BR 2004017520        A     20070306    BR 2004-17520          20041201 <--
     JP 2007513950        T     20070531    JP 2006-543873         20041201 <--
     MX 2006PA05807       A     20060731    MX 2006-PA5807         20060523 <--
```

```
     IN 2006CN02071       A      20070615    IN 2006-CN2071         20060609 <--
     US 20080200496       A1     20080821    US 2008-106681         20080421 <--

L90    ANSWER 4 OF 4  BIOTECHDS COPYRIGHT 2008 THOMSON REUTERS on STN
TI     New isolated casein kinase I delta nucleic and casein
       kinase I epsilon nucleic acid, useful for treating sleep
       disorders, e.g. excessive daytime sleepiness, obstructive sleep apnea,
       restless leg syndrome, or narcolepsy;
          involving vector-mediated gene transfer and expression in host cell
          for use in therapy
AU     PTACEK L; JONES C; FU Y
AN     2004-16851  BIOTECHDS
PI     WO 2004050841 17 Jun 2004


=> log y
COST IN U.S. DOLLARS                                 SINCE FILE      TOTAL
                                                          ENTRY    SESSION
FULL ESTIMATED COST                                       15.47     164.27

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)           SINCE FILE      TOTAL
                                                          ENTRY    SESSION
CA SUBSCRIBER PRICE                                        0.00      -4.00

STN INTERNATIONAL LOGOFF AT 16:28:16 ON 25 AUG 2008
```